

# CUMULATIVE INDEX 1994

## Volume 17

---

March	PSYCHIATRIC MANIFESTATIONS OF HIV DISEASE, pages 1-236
June	POST-TRAUMATIC STRESS DISORDER, pages 237-452
September	HISTORY OF PSYCHIATRY, pages 453-700
December	BORDERLINE PERSONALITY DISORDER: A 25-YEAR RETROSPECTIVE AND PROSPECTIVE, pages 701-879

---

*Note:* Page numbers of issue and article titles are in **boldface** type.

- Abreaction, catharsis and, in history of psychological healing, **471-489**
- Abuse. See *Incest; Trauma*.
- Accidents, motor vehicle, PTSD after, 292-293
- Acquired immunodeficiency syndrome. See *AIDS*.
- Action, words and, dynamic psychiatry and, 588
- Activities, diminished interest or participation in, 358
- Acute post-traumatic stress disorder, pharmacotherapy in, 416
- Acute stress disorder, 241  
PTSD vs, 366
- Acute trauma, treatment of, **385-390**
- ADA. See *Americans with Disabilities Act*.
- Addiction, free choice and, forensic psychiatry and, 630
- Adjustment disorder, PTSD vs, 371
- Adolescents. See also *Children*.  
post-traumatic response in, **311-322**  
clinical interventions in, 316-322
- Affect. See also *Mood disorders*.  
forensic evaluation and, 627  
instability of, in borderline personality disorder vs multiple personality disorder, 759-760  
intensity of, fear of, 354  
restricted range of, 358
- Affect theory, "borderline" personality and, shame and compassion and, 789-799
- Affect tolerance, childhood trauma and, borderline personality disorder and, 723
- Aggression. See also *Anger*.  
in borderline personality disorder, hatred and trauma and, **701-713**  
multiple personality disorder vs, 752-753  
shame and, 797, 798-799
- Agitation, HIV and, treatment of, 29
- Agnews State Hospital, hydrotherapy in (1919), 499-507
- Agoraphobia, PTSD vs, 364-365
- AHP. See *University of California at San Francisco (UCSF) AIDS Health Project (AHP)*.
- AIDS. See also *HIV disease*.  
care needs of persons with, 36-38  
caregiving partners of men with, stress and coping in, 35-52  
epidemic of, community psychiatry approach to, **205-225**. See also *University of California at San Francisco (UCSF) AIDS Health Project (AHP)*.  
psychosocial factors and, 57  
neurologic disease in, pathology of, **1-14**  
publications on, AIDS Health Project, 222-224
- AIDS and Substance Abuse Program (ASAP), San Francisco General Hospital, 213
- AIDS dementia complex. See *HIV-1-associated cognitive/motor complex*.

- AIDS Health Project (AHP). See *University of California at San Francisco (UCSF) AIDS Health Project (AHP)*.
- Albumin, CSF, in HIV-1-associated cognitive/motor complex, 104
- Alcohol use. See also *Substance use disorders*.  
patterns of, in gay and bisexual men, 75-77
- Alpha-agonists, in PTSD treatment, 417
- America. See *United States*.
- American Psychiatric Association (APA), Sesquicentennial of, 690-692
- Americans with Disabilities Act (ADA), forensic psychiatry and, 631
- Amnesia, 358  
dissociative, PTSD vs, 368
- Amnesic disorder, PTSD vs, 360
- Ancient times. See *Classical antiquity; Egypt, ancient*.
- Anger. See also *Aggression*.  
outbursts of, PTSD and, 359
- Anonymous Testing Program, AIDS and, 215-217
- Anorexia nervosa, PTSD vs, 369
- Antidepressants, in PTSD treatment, 416-417
- Antipsychotic medication. See also *Pharmacotherapy*.  
development of, history of, 531-538  
punishment vs therapy and, 510
- Antisocial personality disorder, PTSD vs, 371-372
- Anxiety disorders. See also *Fears*.  
dream, PTSD vs, 370  
HIV and, 19-20  
catastrophic anxiety, 194-195  
minor cognitive/motor disorder and, 186-187  
treatment of, 27-28, 136-138  
PTSD vs, 364-366, 409-410
- APA. See *American Psychiatric Association*.
- Arousal, increased, PTSD and, 359
- ASAP. See *AIDS and Substance Abuse Program*.
- Assessment. See *Psychological assessment*.
- Asylums. See also *Hospitalization*.  
in late nineteenth and early twentieth centuries, physical restraint and somatic remedies in, 495-497
- Attention-deficit hyperactivity disorder, PTSD vs, 374
- Attunement, empathic, in treatment of borderline psychopathology, 832-833
- Austria, Vienna, psychoanalysis in (1922-1938), 652-655
- Autonomic nervous system pathway, psychosocial factors in HIV progression and, 61
- Avoidance, shame and, 797-798
- Avoidance symptoms, in PTSD, 358-359
- Awareness, patient's level of, PTSD detection and, 354
- Baths, continuous. See *Hydrotherapy*.
- Behavior. See also *Neurobehavioral impairment*.  
calm, HIV-associated dementia and, 192  
health-related, psychosocial factors in HIV progression and, 63-64
- Behavioral disinhibition, recreational substance use and, sexual risk behavior patterns and, 83
- Benzodiazepines, in PTSD treatment, 417
- Berlin, psychoanalysis in (1920-1933), 650-652, 655-656
- Beta-2-microglobulin, CSF, in HIV-1-associated cognitive/motor complex, 110-111
- Biblical times, psychiatry in, 453
- Biologic interactions, recreational substance use and, sexual risk behavior patterns and, 85
- Biology, PTSD, 410-412
- Bisexual men, recreational substance use in, patterns of, 70-77  
sexual risk behavior patterns and, 77-85
- Bleuler, Eugen, psychoanalysis and, 639-642
- Bodily integrity and form, alterations in, borderline personality organization and, 821-822
- Body handlers, PTSD in, 294-295
- Borderline personality disorder, 701-861.  
See also *Borderline personality organization*.  
aggression in, 701-713  
multiple personality disorder vs, 752-753  
approach to, 745-747  
characterologic subtypes of, 773-783  
defined, 744  
development of, shame and, 805-806  
trauma and, 715-728  
hospitalized patients with, long-term follow-up of, 774-776  
incest and, 709-711  
individual personality traits in, 778-780  
multiple personality disorder vs, 743-766  
phenomenology of, multiple personality disorder vs, 754-764  
psychological testing in, 764  
PTSD and, 718-720  
PTSD vs, 372-373  
shame and compassion in, 785-809  
structure and process of, dynamic approaches to, 747-754

- trauma and, 709-711, 715-728  
 childhood, 720-727, 731-742  
 multiple personality disorder vs, 754-756  
 rescuer-victim paradigm and, 843-845  
 treatment in, 711-713
- treatment of, aggression, trauma, and hatred in, 701-713  
 childhood trauma and, 722-727  
 countertransference in, 726-727, 851-861  
 in multiple-treater setting, 839-849  
 psychotherapeutic, 827-836  
 shame and, 806-809
- Borderline personality organization. See also *Borderline personality disorder*.  
 disorders of self and, 811-825  
 as level of function vs personality dimension, 780-781
- Boundaries, forensic evaluation and, 627-628
- Boundary cases, extreme cases vs, 521
- Breuer, Josef, cathartic treatment and, 475-476
- Brief psychotic disorder, PTSD vs, 363
- British psychoanalytic society, 659-662
- Budapest, problem of Ferenczi and, 656-659
- Bulimia nervosa, PTSD vs, 369
- Burns, PTSD after, 295-296
- Bupirone, in PTSD treatment, 418
- California, hydrotherapy in, 497-509  
 Agnews State Hospital and, 499-507
- Calm behavior, maintenance of, HIV-associated dementia and, 192
- CAPS (Clinician-Administered Post-Traumatic Stress Disorder Scale), 337
- Caregivers. See also *Caregiving partners of men with AIDS*.  
 education of, HIV-associated minor cognitive/motor disorder and, 185-186  
 emotional sequelae in, HIV-associated minor cognitive/motor disorder and, 186-187  
 needs of, HIV-associated dementia and, 199-200
- Caregiving partners of men with AIDS. See also *Caregivers*.  
 stress and coping in, 35-52  
 adjustment to illness progression and, 42-43  
 assessment of, 40-41  
 care needs of persons with AIDS and, 36-38  
 dysphoric mood and, 41-47  
 fatigue and, 46  
 lack of control over disease and, 44-45  
 positive morale and, 47-49  
 recommendations for professionals and, 49-52  
 role conflict and, 45-46  
 shifting responsibilities and, 43-44  
 UCSF Coping Project study of, 39-49  
 unexpected improvement and, 44  
 when caregiver is HIV positive, 46-47
- Catastrophic anxiety, HIV-associated dementia and, 194-195
- Catastrophic events, victims of. See *Disaster victims*.
- Catastrophic medical illness, PTSD related to, 295-296
- Categorical approach to classification, dimensional approach vs, 521
- Catharsis, abreaction and, in history of psychological healing, 471-489
- Central nervous system (CNS), damage to, in HIV encephalitis, 10-12  
 HIV encephalitis mediating, 13  
 HIV concentration in, 13  
 HIV localization in, 12  
 opportunistic infections of, in AIDS, 1-5  
 psychosocial factors in HIV progression and, 63  
 viral entry into, HIV encephalitis and, 12-13
- Cerebrospinal fluid (CSF) analyses, in HIV-1-associated cognitive/motor complex, 102-112
- CET (Coping Effectiveness Training), in HIV disease, 173-176
- Change, patient preparation for, HIV-associated dementia and, 191
- Characterologic subtypes of borderline personality disorder, 773-783
- Children, consultation-liaison and, 677-678  
 post-traumatic response in, 311-322  
 assessment of, 320-322, 342-343  
 clinical interventions in, 316-322  
 traumatized. See also *Trauma*.  
 and borderline personality disorder, 720-727  
 as public health crisis, 311-312  
 splitting in, 731-742
- Children's Impact of Traumatic Events Scale-Revised (CITES-R), 343
- Children's Post-Traumatic Stress Disorder Inventory, 342
- Chronic hostility, rage and, in borderline personality disorder, 776
- Chronic illness, life-threatening, HIV as, 19
- Chronic mental illness in United States, community policies and, 550-553  
 concepts of curability and chronicity and, 543-546  
 developments since 1970 in, 553-555  
 history of care of patients with, 541-556  
 origins of hospitalization for, 542-543

- Chronic mental illness in United States  
(Continued)  
  rise of chronicity and, 547-549
- Chronic post-traumatic stress disorder,  
  pharmacotherapy in, 416-418
- Civilian trauma, victims of, PTSD in,  
  289-297
- Classical antiquity, catharsis in, 473-474  
  history of psychiatry in, 454-455
- Classification, psychiatric, history of,  
  515-522
- Clinician-Administered Post-Traumatic  
  Stress Disorder Scale (CAPS), 337
- CNS. See *Central nervous system*.
- Cognitive behavioral psychotherapy,  
  individual, for PTSD, 403
- Cognitive effects models, of recreational  
  substance use and sexual risk  
  behavior patterns, 84
- Cognitive impairment, in HIV disease. See  
  also *HIV-1-associated cognitive/motor  
  complex*.  
  psychotherapy and, 158
- Cognitive/neuropsychologic measures, in  
  PTSD assessment, 340-341
- Communication difficulties, HIV-  
  associated dementia and, 192
- Community, psychoanalysis and, religion  
  and, 647
- Community liaison, mental health, San  
  Francisco General Hospital, 214-215
- Community policies, creation of, for  
  chronically mentally ill, 550-553
- Community psychiatry approach to AIDS  
  epidemic, 205-225. See also *University  
  of California at San Francisco (UCSF)  
  AIDS Health Project (AHP)*.
- Community resources, HIV-associated  
  dementia and, 200-201
- Community samples, PTSD in, 290-291
- Community services, AIDS Health Project,  
  215-220
- Comorbidity. See *Psychiatric disorders,  
  PTSD correlation with*.
- Compassion, shame and, "borderline"  
  personality and, 785-809
- Compensatory mechanisms, HIV-  
  associated minor cognitive/motor  
  disorder and, 187-188
- Competence. See also *Diminished capacity*.  
  confessions and, 629  
  contracts and wills and, 629  
  forensic evaluation and, 623-624  
  specific impairments of, post-traumatic  
  stress disorder as indicator of, 625-  
  626
- Complex partial seizures, PTSD vs,  
  374-375
- Complex post-traumatic stress disorder,  
  PTSD vs, 373-374
- Compliance with medical care, HIV  
  disease and, 168-169
- Computerized tomography (CT). See also  
  *Single photon emission tomography*.  
  in HIV-1-associated cognitive/motor  
  complex, 92-94
- Concentration, difficulty with, PTSD and,  
  359
- Conditioning, fear, 256-257
- Confessions, competence and, forensic  
  psychiatry and, 629
- Confrontation, avoidance of, HIV-  
  associated dementia and, 191
- Confusion, HIV-associated dementia and,  
  190-192
- Consciousness, transference as perceptual  
  illusion and, 566-567
- Consent, informed, forensic evaluation  
  and, 624-625
- Consultation, psychiatric, in America,  
  667-679
- Consultation-liaison programs,  
  establishment of, 674-677  
  international, 677  
  pediatric, 677-678
- Consultation psychiatry, birth of, 673-674
- Container function, in psychotherapy for  
  borderline psychopathology, 836
- Continuous baths. See *Hydrotherapy*.
- Contracts, competence and, forensic  
  psychiatry and, 629
- Conversion disorder, PTSD vs, 367
- Coordination problems, HIV-associated  
  dementia and, 195-196
- Coping, with HIV disease, 170-176, 177  
  stress and, in caregiving partners of men  
  with AIDS, 35-52
- Coping Effectiveness Training (CET), in  
  HIV disease, 173-176
- Corticotropin-releasing factor, in PTSD,  
  411
- Countertransference, in borderline  
  personality disorder treatment,  
  851-861  
  childhood trauma and, 726-727
- Credibility, forensic evaluation and, 628
- Crime, violent, victims of, PTSD in,  
  289-297  
  white-collar, forensic psychiatry and,  
  630
- Criminal law, PTSD and, 443-444
- Criminal responsibility, historical trends  
  in, forensic psychiatry and, 611-632  
  mental-state defenses and, 612
- Crisis intervention, in acute trauma  
  treatment, 387
- CSF analyses. See *Cerebrospinal fluid  
  analyses*.
- CT. See *Computerized tomography*.
- Cues, physiologic reactivity to, 358

- psychological distress and, 357-358  
 Curability, chronicity and, 543-546  
 Cytokines, CSF, in HIV-1-associated cognitive/motor complex, 109-110  
 Cytology, CSF, in HIV-1-associated cognitive/motor complex, 103-104
- Daily living, caregiving partners of men with AIDS and, seizing the moment and, 49
- Damages, forensic evaluation and, 628
- Danger, neurobiologic response to, 252
- Defense, soothing and, in multiple personality disorder vs borderline personality disorder, 751-752  
 trauma and, in Freud's theory of incest and seduction, 574
- Delayed post-traumatic stress disorder, pharmacotherapy in, 416-418
- Delirium, HIV and, 23-25  
 treatment of, 29, 144-145
- Delusions, HIV and, 21
- Dementia, HIV-associated. See *HIV-1-associated cognitive/motor complex; HIV-associated dementia.*
- Denial, organic, HIV-associated dementia and, 194
- Depression, dementia complicated by, HIV and, 138-143  
 HIV and, 19-20  
 minor cognitive/motor disorder and, 186-187  
 psychopharmacology in, 138-143  
 psychotherapy in, 152-153  
 treatment of, 28-29, 138-143, 152-153  
 PTSD vs, 363-364  
 syndromes of, HIV and, 19-20
- Description, etiology vs, 520
- Detachment, 358
- Development, impact of trauma on, 593-594, 721-722  
 and post-traumatic response in children and adolescents, 313-316
- Diagnostic and Statistical Manual of Mental Disorders.* See *DSM-IV.*
- Dimensional approach to classification, categorical approach vs, 521
- Diminished capacity. See also *Competence.*  
 broader significance of, 616-617  
 insanity defense and, 612-616
- Disabilities, management of, 401
- Disaster victims, catastrophic event processing in, model for, 302  
 interventions for, immediate, 306  
 long-term, 307-308  
 short-term, 307  
 PTSD in, 301-308  
 mental health provider response and, 305
- planning for/warning of disaster and, 305-306  
 risk factors for, 304-305
- Disorientation, HIV-associated dementia and, 190-192
- Dissociation. See also *Dissociative disorders; Splitting.*  
 in borderline personality disorder, overlap of other symptoms and, 756-757  
 process differences in, in borderline personality disorder vs multiple personality disorder, 750-751  
 in PTSD, borderline personality disorder and, 718-720, 724  
 repression vs, 749-750  
 trauma and, 584-585, 590-591  
 borderline personality disorder and, 718-720, 724  
 integration of disorders related to, 595
- Dissociative disorders. See also *Dissociation; Multiple personality disorder (MPD).*  
 in PTSD, individual psychotherapy and, 401  
 PTSD vs, 368-369, 409-410
- Distressing dreams, PTSD and, 357
- Dopaminergic system, in PTSD, 412
- Dracula character, borderline personality organization and, 811-825
- Dream anxiety disorder, PTSD vs, 370
- Dreams, distressing, PTSD and, 357
- Driving, HIV-associated dementia and, 197-198
- Drug abuse. See *Substance use disorders.*
- Drugs. See *Antipsychotic medication; Pharmacotherapy; specific drug or type of drug.*
- DSM-IV, acute stress disorder criteria in, 241, 242  
 PTSD criteria in, 238-240, 356-359
- Dual agency, avoidance of, forensic psychiatry and, 619-620
- Dynamic psychiatry, trauma and, 588
- Dysphoric mood, in caregiving partners of men with AIDS, 41-47
- Dysthymic disorder, PTSD vs, 363-364
- Eating disorders, PTSD vs, 369
- Education, patient and caregiver, HIV-associated minor cognitive/motor disorder and, 185-186  
 treatment staff, in multiple-treater setting for treatment of borderline patients, 848-849
- EEG. See *Electroencephalography.*
- Egypt, ancient, psychiatric classification in, 515-516
- Eighteenth century, psychiatry in, 458-460, 461, 462, 463

- Eighteenth century (*Continued*)  
 United States, 683-684
- Electroconvulsive therapy, history of, 525-529  
 in PTSD treatment, 418  
 punishment vs therapy and, 509-510
- Electroencephalography (EEG), in HIV-1-associated cognitive/motor complex, 98-99
- Electrophysiologic testing, in HIV-1-associated cognitive/motor complex, 97-102
- Emotional first aid, in acute trauma treatment, 387-388
- Emotional hyperarousal, trauma and, 585
- Emotional sequelae. *See also* specific type.  
 HIV-associated dementia and, 193-195  
 in patients and caregivers, HIV-associated minor cognitive/motor disorder and, 186-187
- Empathic attunement, in psychotherapy for borderline psychopathology, 832-833
- Encephalitis, HIV. *See* *HIV encephalitis*.  
 viral, background of, 5-6
- Encephalomyelitis, polio, pathogenesis of, 5-6
- Energy, transfer of, ubertragung and, 559-560
- Enlightenment, psychiatric classification in, 516-517
- Environment, familiarity of, HIV-associated dementia and, 191  
 holding, in psychotherapy for borderline psychopathology, 836  
 hospital. *See* *Hospitalization*.  
 multiple-treater, treatment of borderline patients in, 839-849  
 safety of, HIV-associated dementia and, 196-198  
 "triggers" in, affective response in borderline personality disorder vs multiple personality disorder, 760
- EP. *See* *Evoked potentials*.
- ERP. *See* *Event-related potentials*.
- Estrangement, 358
- Ethical issues, forensic psychiatry and, 618-620  
 HIV-associated dementia and, later stages of, 198-199  
 HIV-associated minor cognitive/motor disorder and, management of, 186  
 psychotherapy in HIV disease and, 153-154
- Etiology, description vs, 520  
 paternal, Freud's theory of, 575-580
- Europe. *See also* specific city or country.  
 psychoanalysis in, between World Wars, 649-664
- Evaluation. *See* *Neuropsychological evaluation*; *Psychological assessment*.  
 forensic. *See* *Forensic psychiatry*.
- Event-related potentials (ERP), in HIV-1-associated cognitive/motor complex, 100-102
- Evoked potentials (EP), in HIV-1-associated cognitive/motor complex, 99-100
- Excitotoxic metabolites, CSF, in HIV-1-associated cognitive/motor complex, 111-112
- Exercise interventions, in HIV disease, 172-173
- Explosive disorder, intermittent, PTSD vs, 370-371
- Extreme cases, boundary cases vs, 521
- Eye movement desensitization, in PTSD treatment, 404
- Factitious disorders, PTSD vs, 367-368
- Family, post-traumatic response in children and adolescents and, 315  
 and trauma, 430-431
- Family therapy, in PTSD, 425-434
- Fatigue, caregiving partners of men with AIDS and, 46
- Fear conditioning, 256-257
- Fears. *See also* *Anxiety disorders*.  
 of illness, forensic psychiatry and, 631-632  
 in patient with HIV disease, psychotherapy and, 153
- Ferenczi, Sandor, problem of, Budapest and, 656-659  
 trauma and, 588
- Firefighters, PTSD in, 294
- First aid, emotional, in acute trauma treatment, 387-388
- Flashbacks, 357
- Forensic psychiatry, applications of, 628-630  
 diminished capacity in, broader significance of, 616-617  
 insanity defense and, 612-616  
 ethical standards and, 618-620  
 evaluation in, ABCDs of, 627-628  
 basic concepts in, 622-627  
 limitations on testimony and, 617-618  
 mental-state defenses in, 612  
 practice of, changing landscape of, 630-632  
 rebirth of, criminal responsibility and, 611-632  
 rehabilitation of, 617-622  
 scientific standards and, 620-622
- Formal seduction theory (Freud), 574-575
- Free choice, addiction and, forensic psychiatry and, 630
- French psychoanalytic society, 659

- Freud, Sigmund, cathartic treatment and, 475-477  
 psychoanalysis and, 639-642  
 trauma and, 586-588  
   theory of incest and seduction and, 574  
   views on incest and seduction, fact and fantasy in history of, 571-580  
 Fugue, dissociative, PTSD vs, 368  
 Future, sense of foreshortening of, 359
- Gay men, recreational substance use in, patterns of, 70-77  
 sexual risk behavior patterns and, 77-85  
 General hospital psychiatry, 673  
 Generalized anxiety disorder, PTSD vs, 366  
 Germany, Berlin, psychoanalysis in (1920-1933), 650-652, 655-656  
 Glucose, CSF, in HIV-1-associated cognitive/motor complex, 104  
 Goal setting, realistic, HIV-associated minor cognitive/motor disorder and, 187  
 Greece, ancient. See *Classical antiquity*.  
 Grief, pathologic, PTSD vs, 375  
 Group therapy, in PTSD, 425-434  
 Guilt, in patient with HIV disease, psychotherapy and, 153
- Handicaps, management of, 401  
 Harassment, sexual, forensic psychiatry and, 631  
 Hatred, in borderline personality disorder, aggression and trauma and, 701-713  
 Health, physical. See also *Medical illness*.  
   PTSD and, 273-274  
 Health care providers. See also *Medical care*; *Mental health providers*.  
   PTSD in, 295  
   recommendations for, caregiving partners of men with AIDS and, 49-52  
   psychological impact of HIV disease and, 176-177  
 Health-related behaviors, psychosocial factors in HIV progression and, 63-64  
 Herpes simplex virus encephalitis, pathogenesis of, 6  
 History of psychiatry, 453-694. See also specific period in history.  
   antipsychotic medication in, 531-538  
   biblical times, 453  
   catharsis and abreaction in, 471-489  
   classical antiquity, 454-455  
   classification in, 515-522  
   eighteenth century, 458-460, 461, 462, 463  
   electroconvulsive therapy in. See *Electroconvulsive therapy*.  
   European, between World Wars, 649-664  
   forensic, 611-632  
   Freud in. See *Freud, Sigmund*.  
   medical hypnosis in, 601-608  
   Middle Ages, 455-456  
   modern times, 464-465, 467-468  
   nineteenth century, 460, 462-464, 465, 466  
   prehistoric, 453  
   punishment vs therapy in, 493-511  
   Renaissance, 456-457  
   seventeenth century, 457-458  
   Swiss, 637-647  
   transference in, 559-568  
   trauma in, 583-597  
   United States, 683-692  
   U.S., care of chronically mentally ill in, 541-556  
     consultation in, 667-679  
 HIV-1. See also *HIV disease*.  
   detection and isolation of, from CSF, 107-109  
 HIV-1-associated cognitive/motor complex. See also *Cognitive impairment, in HIV disease*; *HIV-associated dementia*.  
   cerebrospinal fluid analyses in, 102-112  
   electrophysiologic testing in, 97-102  
   imaging studies in, 92-97  
   laboratory evaluations in, 91-113  
   management issues and strategies in, 185-188  
 HIV-associated dementia. See also *HIV-1-associated cognitive/motor complex*.  
   caregiver needs and, 199-200  
   communication difficulties in, 192  
   community resources and, 200-201  
   complicated by depression, psychopharmacology in, 138-143  
   confusion in, 190-192  
   emotional changes in, 193-195  
   incontinence in, 198  
   independent living and, 189-190  
   later stages of, ethical issues in, 198-199  
   management issues and strategies in, 188-201  
   memory problems in, 192-193  
   mild neurocognitive disorder and, 22-23  
   motor and coordination problems in, 195-196  
   neuropsychological evaluation in, 132-133  
   personality changes in, 193-195  
   safety issues in, 196-198  
 HIV disease. See also *AIDS*.  
   Anonymous Testing Program and, 215-217



HIV disease (*Continued*)

- caregivers positive for, 46-47
- as chronic life-threatening illness, 19
- Coping Effectiveness Training in, 173-176
- coping with, 170-176, 177
- dementia in. See *HIV-associated dementia*.
- encephalitis in. See *HIV encephalitis*.
- exercise interventions in, 172-173
- immunobiology of, 55-56
- major psychiatric syndromes in, diagnosis and natural history of, 19-26
- management of, neuropsychological complications in, 170
- medical care in, adherence to treatment, 168-169, 177
- initiation of, 167-168, 177
- neurobehavioral impairment in, management of, 183-202
- neuropsychiatric manifestations of, natural history of, 17-31
- treatment of, 26-30
- neuropsychological evaluation of patient with, 125-133
- outcomes of, possible mechanisms linking stress and, 176
- pain in, treatment of, 30
- prevention of, recreational substance use and, 85-87
- progression of, adjustment to, 42-43
- cofactors in, 56-64
- psychiatric manifestations of, 1-230
- psychopharmacology and, 135-146
- psychological impact of, and implications for intervention, 163-178
- psychoneuroimmunology of, 55-65
- psychosocial cofactors and, 57-60
- methodologic issues in studies of, 62-64
- potential physiologic pathways and, 60-62
- psychotherapies for person with, 149-160
- quality of life and, 165-167
- stress management interventions in, 171-172. See also *Stress, in patient with HIV disease*.
- substance abuse and, 69-87
- HIV encephalitis, CNS damage in, 10-12
- CNS damage mediated by, 13
- CNS HIV concentration and, 13
- CNS localization of HIV and, 12
- incidence of, 9-10
- viral entry into CNS and, 12-13
- Holding environment, in psychotherapy for borderline psychopathology, 836
- Holland, analytic society in, 659
- Home safety, HIV-associated dementia and, 196-197

- Homelessness, chronic mental illness and, United States history of care and, 541-556
- Hospitalization. See also *Asylums; Multiple-treater setting*.
- at Agnews State Hospital, hydrotherapy in (1919), 499-507
- of borderline patients, long-term follow-up after, 774-776
- general hospital psychiatry and, 673
- HIV-associated dementia and, 192
- origins of, chronically mentally ill and, 542-543
- psychopathic hospital movement and, 672
- Hostages, PTSD in, 279-286
- background and context of, 279-281
- management of survivors, 286
- Hostility. See also *Aggression*.
- chronic, in borderline personality disorder, 776
- Human immunodeficiency virus. See *HIV-1*.
- Humoral immunologic markers, CSF, in HIV-1-associated cognitive/motor complex, 104-107
- Hungary, Budapest, problem of Ferenczi and, 656-659
- Hydrotherapy, in California, 497-509
- Agnews State Hospital and, 499-507
- in modern psychiatry, 509-510
- Hyperarousal, trauma and, 585, 590
- Hypervigilance, 359
- Hypnosis, medical, history of, 601-608
- Hypothalamic-pituitary-adrenal axis, in PTSD, 254-255, 411
- Identification, projective, in borderline personality disorder, 840-843
- Identity, disturbances in. See also *Dissociative disorders*.
- self-image and, in borderline personality disorder vs multiple personality disorder, 757-759
- transference and, childhood trauma and, 726
- Illness. See also *Medical illness; Mental illness*.
- fear of, forensic psychiatry and, 631-632
- life-threatening, HIV as, 19
- Imaging, in HIV-1-associated cognitive/motor complex, 92-97
- Immune system. See also *AIDS; HIV disease*.
- psychosocial factors and, 57-58
- in HIV-positive individuals, 58-60
- Immunobiology of HIV infection, 55-56
- Immunologic markers, humoral, in HIV-1-associated cognitive/motor complex, 104-107



- Impact of Event Scale (IES), 331, 342-343
- Impulse control, in borderline personality disorder, multiple personality disorder vs, 760
- Impulse control disorders, PTSD vs, 370-371
- Impulses, fear of, in PTSD patients, 354
- Incest, in borderline personality disorder, 709-711
- Freud's views on seduction and, fact and fantasy in history of, 571-580
- Incompetence. See *Diminished capacity*.
- Incontinence, HIV-associated dementia and, 198
- Independent living, HIV-associated dementia and, 189-190
- Individual psychotherapy, for PTSD, 393-406
- background issues in, 394
- competitive relationship of schools of therapy and, 394-395
- conceptual model and, 396-397
- general issues in, 398-401
- longitudinal course of PTSD and, 395-396
- specific approaches in, 401-404
- trauma effects on therapist and, 398
- treatment services design and, 397-398
- Infections, opportunistic. See *Opportunistic infections*; specific type.
- Information, in acute trauma treatment, 387
- Informed consent, process of, forensic evaluation and, 624-625
- Insanity defense, diminished capacity and, 612-616
- Insomnia, primary, PTSD vs, 369-370
- Institutionalization. See *Hospitalization*.
- Integrity, bodily, borderline personality organization and, 821-822
- moral, borderline personality disorder and, 781-782
- Intermittent explosive disorder, PTSD vs, 370-371
- International consultation-liaison, 677
- Interpersonal relationships, disturbances of, in borderline personality disorder vs multiple personality disorder, 762-764
- Intersubjectivity, transference and, borderline psychopathology and, 835
- Interviews, in PTSD detection, 352-359
- structured, in PTSD assessment, 337-338
- Intoxication, recreational substance use and, sexual risk behavior patterns and, 84
- Intrapersonal factors, in recreational substance use and sexual risk behavior patterns, 84-85
- Intrusive phenomena, trauma and, 589
- Intrusive recollections, PTSD and, 357
- borderline personality disorder and, 718-720
- Irritability, PTSD and, 359
- Isolation, childhood trauma and, borderline personality disorder and, 724-725
- Italian Psychoanalytic Society, 659
- Janet, Pierre, trauma and memory and, 584-586
- Jung, Carl, psychoanalysis and, 639-642
- Kardiner, Abram, trauma and, 588-591
- Knowledge, technical, psychiatric consultation and, 678-679
- Korean War veterans, PTSD in, prevalence of, 267
- Laboratory evaluations, in HIV-1-associated cognitive/motor complex, 91-113. See also *HIV-1-associated cognitive/motor complex*.
- Language, use of, childhood trauma and, 724
- Latent virus expression pathway, psychosocial factors in HIV progression and, 61-62
- Legal issues. See also *Forensic psychiatry*.
- HIV-associated minor cognitive/motor disorder and, management of, 186
- mental-state defenses, criminal responsibility and, 612
- in PTSD, 439-445
- Liability, product, forensic psychiatry and, 631-632
- M-PTSD (Mississippi Scale for Combat-Related Post-Traumatic Stress Disorder), 335-336
- Magnetic resonance (MR) imaging, in HIV-1-associated cognitive/motor complex, 92-94
- Magnetic resonance spectroscopy (MRS), in HIV-1-associated cognitive/motor complex, 96-97
- Major depression, PTSD vs, 363-364
- Malaria fever therapy, in early twentieth century, 507-509
- Malignant memories, neurobiology of, 312-313
- neurodevelopment and, 313-314

- Malingering, PTSD vs, 367-368
- Malpractice. See *Medical malpractice*.
- Manic syndromes, HIV and, 20-21
- Meaning, creation of, caregiving partners of men with AIDS and, 47-49
- Mechanical restraint, somatic remedies and, in late nineteenth and early twentieth centuries, 495-497
- Medical care. See also *Health care providers*.  
in HIV disease, adherence to treatment, 168-169, 177  
initiation of treatment, 167-168, 177
- Medical hypnosis, history of, 601-608
- Medical illness. See also *Illness*; *Physical health*.  
catastrophic, PTSD related to, 295-296  
disorder due to, PTSD vs, 360
- Medical malpractice, forensic psychiatry and, 626-627, 630
- Medications. See *Pharmacotherapy*.
- Medicolegal issues. See *Legal issues*.
- Memory(ies), HIV-associated dementia and, 192-193  
intrusive recollections, 357, 718-720  
malignant. See *Malignant memories*.  
in PTSD, 257-259  
repression of, dissociation vs, 749-750  
trauma and, Janet and, 584-586  
Kardiner and, 590-591  
splitting as consequence of, 731-742
- Mental Health and Substance Abuse Services Unit, 211-215
- Mental health providers. See also *Health care providers*.  
in multiple-treater setting, treatment of borderline patients and, 839-849  
patient's prior contacts with, PTSD detection and, 354  
presentation as real persons, psychotherapy for borderline psychopathology and, 834  
response of, to disaster victims, 305  
stance and understanding of PTSD in, diagnosis and, 352-353  
training of, AIDS Health Project and, 220-222  
trauma effects on, 398
- Mental health services, San Francisco General Hospital Ward 86, 211-215.  
See also *University of California at San Francisco (UCSF) AIDS Health Project (AHP)*.
- Mental illness. See also *Illness*; *Psychiatric disorders*.  
chronic, United States history of care of patients with, 541-556
- Mental-state defenses, criminal responsibility and, 612
- Middle Ages, psychiatry in, 455-456
- Mild neurocognitive disorder, HIV-associated dementia and, 22-23
- Military veterans, PTSD in, 265-275. See also *Post-traumatic stress disorder (PTSD)*.  
course of, 270-271  
physical health and, 273-274  
prevalence of, 266-267  
prevention of, 271-272  
protective factors for, 268-269  
psychiatric and psychosocial correlates of, 267-268  
risk factors for, 268-269  
treatment of, 272-273  
special populations of, PTSD in, 269-270  
war-zone exposure of, salutary effects of, 274
- Minnesota Multiphasic Personality Inventory (MMPI), 331-335
- Mirroring, in psychotherapy, for borderline psychopathology, 833
- Mississippi Scale for Combat-Related Post-Traumatic Stress Disorder (M-PTSD), 335-336
- Modern times. See *Twentieth century*.
- Mood disorders. See also *Affect*; specific disorder.  
PTSD vs, 363-364
- Mood stabilizing agents, in PTSD treatment, 417
- Moral sense, character-type in, borderline personality disorder and, 781-782
- Morale, positive, caregiving partners of men with AIDS and, 47-49
- Morticians, PTSD in, 294, 295
- Motor problems, HIV-associated dementia and, 195-196
- Motor vehicle accidents, PTSD after, 292-293
- Mourning, pathologic, PTSD vs, 375
- Movement, limitations on, borderline personality organization and, 824-825
- MR imaging. See *Magnetic resonance imaging*.
- MRS. See *Magnetic resonance spectroscopy*.
- Multiple personality disorder (MPD). See also *Dissociative disorders*.  
approach to, 745-747  
borderline personality disorder vs, 743-766  
defined, 745  
phenomenology of, borderline personality disorder vs, 754-764  
psychological testing in, 764-765  
PTSD vs, 368-369  
structure and process of, dynamic approaches to, 747-754
- Multiple-treater setting. See also *Hospitalization*.  
treatment of borderline patients in, 839-849
- Myocardial infarction, PTSD after, 296

- Neopterin, CSF, in HIV-1-associated cognitive/motor complex, 110-111
- Neurobehavioral impairment, in HIV-1 infection, management of, 183-202
- Neurobiology, of response to danger, 252 of survival and malignant memories, 312-313
- Neurocognitive disorder, mild, HIV-associated dementia and, 22-23
- Neurodevelopment, malignant memories and, 313-314
- Neuroendocrine pathway, psychosocial factors in HIV progression and, 60-61
- Neuroleptics, in PTSD treatment, 418
- Neurologic disease, pathology of, in AIDS, 1-14
- Neurologists, superintendents and, psychiatric consultation in America and, 667-672
- Neuropsychological complications, in management of HIV disease, 170
- Neuropsychological evaluation. See also *Psychological assessment*.  
 of HIV patient, 125-133  
 with dementia, 132-133  
 with early disease, 129-132  
 HIV-specific issues in, 128-129  
 issues in, 125-129  
 normative values and, 126  
 premorbid function and, 126-127  
 results of, 127-128  
 of PTSD, 340-341
- Nightmare disorder, PTSD vs, 370
- Nightmares, PTSD and, 357
- Nineteenth century, history of psychiatry in, 460, 462-464, 465, 466  
 United States, 684-689  
 late, physical restraint and somatic remedies in, 495-497  
 psychiatric classification in, 517-519
- Noradrenergic dysregulation, in PTSD, 410-411
- Norepinephrine, in PTSD, 252-254
- Norway, analytic society in, 659
- Nosology. See also *Psychiatric classification*.  
 themes in, 520-521
- Numbing, trauma and, 590
- Objective measures, in PTSD assessment in adults, 338-342
- Objects, responses to, borderline personality organization and, 824
- Obsessive-compulsive disorder, PTSD vs, 365-366
- Opiates, endogenous, in PTSD, 255-256, 412
- Opportunistic infections. See also specific type  
 in AIDS, 1-5  
 viral infections, 7-9
- Organic mental states, HIV and, organic denial, 194  
 organic psychosis, 195  
 treatment of, 29
- Organic personality syndrome, PTSD vs, 360
- Orientation cues, HIV-associated dementia and, 190
- Other, attack of. See also *Violence*.  
 shame and, 797, 798-799
- Pain disorder, PTSD vs, 367
- Pain syndromes, HIV and, 25-26  
 treatment of, 30
- Panic disorder, PTSD vs, 364-365
- Paranoid personality disorder, PTSD vs, 371
- Partial seizures, PTSD vs, 374-375
- Partners, caregiving, of men with AIDS. See *Caregiving partners of men with AIDS*.
- Paternal etiology, Freud's theory of, 575-580
- Pathologic grief or mourning, PTSD vs, 375
- Patient education, HIV-associated minor cognitive/motor disorder and, 185-186
- Pediatric consultation-liaison, 677-678
- Penn Inventory, 336-337
- Perceptual illusion, transference and, 564-567
- Persian Gulf veterans, PTSD in, prevalence of, 267
- Personality assessment. See also *Psychological assessment*.  
 borderline subtypes and, 776-778
- Personality changes, due to medical condition, PTSD vs, 360  
 HIV-associated dementia and, 193-195
- Personality disorders. See also specific disorder.  
 PTSD vs, 371-373
- Personality organization, borderline. See *Borderline personality organization*.
- Personality traits, individual, borderline patients and, 778-780
- Personnel, psychiatric consultation and, 678
- PET. See *Positron emission tomography*.
- Pharmacotherapy. See also *Antipsychotic medication*.  
 in acute trauma treatment, 388-389  
 in HIV spectrum disorders, 135-146  
 anxiety, 136-138  
 delirium, 144-145

Pharmacotherapy (*Continued*)

- depression and dementia complicated by depression, 138-143
- psychosis, 143-144
- in PTSD treatment, 409-421
  - biologic considerations of, 410-412
  - course and duration of, 418-419
  - diagnostic issues and, 409-410
  - factors in outcome of, 419
  - future of, 420-421
  - phases of, 419-420
  - studies of, 412-416
  - treatment choices for, 416-420
- Phobia, PTSD vs, 365
- Physical characteristics, borderline personality organization and, 822-823
- Physical health. See also *Medical illness*. PTSD and, 273-274
- Physical restraint, somatic remedies and, in late nineteenth and early twentieth centuries, 495-497
- Physical symptoms, psychosocial factors in HIV progression and, 63
- Physicians, views of psychiatry among, hydrotherapy and, 501-505
- Physiologic reactivity, on exposure to cues, 358
- Police officers, PTSD in, 293-294
  - body handling and, 294-295
- Polio encephalomyelitis, pathogenesis of, 5-6
- Positron emission tomography (PET), in HIV-1-associated cognitive/motor complex, 95-96
- Post-traumatic stress disorder (PTSD), 237-446. See also *Trauma*.
  - acute, pharmacotherapy in, 416
  - acute stress disorder and, 241
  - background of, 237-238, 279-281
  - borderline personality disorder and, 718-720
  - in children and adolescents, 311-322
  - in civilian trauma and criminal violence victims, 289-297
  - in community samples, 290-291
  - complex, 373-374
  - concept of, breadth of, 241, 243
  - course of, 244-245
    - individual psychotherapy and, 395-396
    - in military veterans, 270-271
  - diagnosis of, 238-240, 351-376
    - category A (stressor criterion), 356
    - category B (re-experiencing symptoms), 357-358
    - category C (avoidance symptoms), 358-359
    - category D (increased arousal), 359
  - clinician's stance and understanding and, 352-353
  - interviewing considerations and, 352-359
    - patient's situation and, 353-354
    - technique and, 355
  - differential diagnosis of, 359-375
    - pharmacotherapy and, 409-410
  - in disaster victims, 301-308
  - epidemiology of, 244-245, 593
  - in hostages and torture victims, 279-286
  - legal aspects of, 439-445
  - in military veterans, 265-275
  - motor vehicle accidents and, 292-293
  - phenomenology of, 237-248
  - prevention of, 385-390
    - in children and adolescents, 316-319
    - in military veterans, 271-272
  - psychobiologic research in, 251-260
  - psychological assessment of, 327-343
    - in children and adolescents, 319-320
  - in rape victims, 291-292
  - risk factors for, 246-247
    - in disaster victims, 304-305
    - in military veterans, 268-269
  - risk group identification and, 389-390
  - in special populations at risk, 291-296
  - specific impairments of competence and, 625-626
  - symptoms of, factors inhibiting detection of, 354-355
  - treatment of, in children and adolescents, 320-322
    - group and family, 425-434
    - individual psychotherapy in, 393-406
    - in military veterans, 272-273
    - pharmacotherapy in, 409-421
    - psychobiologic research implications for, 259
    - in survivors of hostage episodes, 286
    - in torture victims, 283-284
    - vulnerabilities to, 246-247
    - workplace-related, 293-295
- Post-Traumatic Stress Disorder interview (PTSD-I), 337-338
- Post-Traumatic Stress Disorder Reaction Index, 342
- Postconcussion syndrome, PTSD vs, 374
- Prague analytic circle, 659
- Prehistory, psychiatry in, 453
- Prevention and Support Services, AIDS Health Project, 217-219
  - publications, 222-224
  - training program for mental health professionals, 220-222
- Pride, shame and, 793
- Product liability, forensic psychiatry and, 631-632
- Professional services, AIDS Health Project, 220-224
- Projective identification, in borderline personality disorder, multiple-treater setting and, 840-843

- Protein, total CSF, in HIV-1-associated cognitive/motor complex, 104
- Psyche, trauma affecting, 594-595. See also *Trauma*.
- Psychiatric classification, ancient systems of, 515-516
- categorical vs dimensional, 521
- etiology vs description in, 520
- extreme vs boundary cases in, 521
- history of, 515-522
- lumping and splitting in, 520-521
- in nineteenth century, 517-519
- nosologic themes in, 520-521
- in Renaissance and Enlightenment, 516-517
- in twentieth century, 519-520
- Psychiatric consult liaison service, San Francisco General Hospital, AIDS Health Project and, 213-214
- Psychiatric Consult Service, San Francisco General Hospital, AIDS Health Project and, 214
- Psychiatric consultation, history of, in America, 667-679
- Psychiatric context, HIV and, 18
- Psychiatric disorders. See also *Mental illness*; specific disorder.
- HIV and, 17-19
- psychopharmacology in, 135-146
- PTSD correlation with, individual psychotherapy and, 400
- in military veterans, 267-268
- Psychiatric testimony, limitations on, 617-618
- Psychiatry, history of. See *History of psychiatry*.
- Psychic powers of Dracula character, borderline personality organization and, 823-824
- Psychoanalysis. See also *Psychotherapy*.
- for borderline psychopathology, 827-836
- catharsis and, 479-481
- community and, religion and, 647
- in Europe, between World Wars, 649-664
- in Switzerland, 637-647
- Psychobiologic research, in PTSD, 251-260
- Psychodynamic/reprocessing treatments, in individual psychotherapy, for PTSD, 402
- Psychological assessment. See also *Neuropsychological evaluation*; *Personality assessment*.
- of PTSD, 327-343
- in adults, 331-342
- base rates and, 329-330
- in children and adolescents, 320-322, 342-343
- construct definition for, 328-329
- general considerations in, 328-330
- measures for, 330-343
- objective measures in, 338-342
- psychometric information and, 330
- self-report measures in, 331-337
- structured interviews in, 337-338
- Psychological support, in acute trauma treatment, 387
- Psychometric information, proper use of, PTSD assessment and, 330
- Psychoneuroimmunology of HIV infection, 55-65
- Psychopathic hospital movement, 672
- Psychopathology. See specific type.
- Psychopharmacology. See *Antipsychotic medication*; *Pharmacotherapy*.
- Psychophysiologic measures, in PTSD assessment, 341-342
- Psychosis. See *Psychotic disorders*.
- Psychosocial cofactors, in HIV progression, 57-60
- methodologic issues in studies of, 62-64
- potential physiologic pathways and, 60-62
- Psychosocial factors. See also *Psychosocial cofactors*.
- disaster outcomes and, 302-304
- PTSD correlation with, in military veterans, 267-268
- Psychotherapy. See also *Psychoanalysis*; *Therapy*.
- in acute trauma treatment, 388-389
- for borderline psychopathology, 827-836. See also *Borderline personality disorder, treatment of*.
- function of, problem of recall and, 591
- group, for PTSD, 425-430
- in HIV disease, 149-160
- critical issues for clinicians and, 152-154
- depression and, 152-153
- essential goals of, 154-155
- ethics of, 153-154
- fears and, 153
- guilt and, 153
- modifications in therapy for special populations and, 159
- patient with cognitive impairment and, 158
- special concerns and stressors for patient and, 151-152
- types of therapy, 156-158
- individual, for PTSD, 393-406
- modern, catharsis and, 481-487
- Psychotic disorders, HIV and, 21
- organic psychosis, 195
- treatment of, 29-30, 143-144
- PTSD vs, 362-363
- PTSD. See *Post-traumatic stress disorder*.
- PTSD-I (Post-Traumatic Stress Disorder interview), 337-338

- Punishment, fear of, in PTSD patients, 354  
therapy vs, somatic remedies in early  
twentieth century and, 493-511
- Quality of life, HIV disease impact on,  
165-167
- Rage. See also *Anger*.  
chronic hostility and, in borderline per-  
sonality disorder, 776
- Rape, PTSD after, 291-292
- Re-enactment, PTSD and, borderline  
personality disorder and, 718-720
- Recall. See also *Memory(ies)*.  
problem of, function of psychotherapy  
and, 591
- Recollections. See *Memory(ies)*.
- Redirection of patient, HIV-associated  
dementia and, 191-192
- Referral to medical care, HIV disease and,  
168
- Relationships, disturbances of, in  
borderline personality disorder vs  
multiple personality disorder, 762-764
- Religion, psychoanalysis and, community  
and, 647
- Renaissance, history of psychiatry in,  
456-457  
psychiatric classification in, 516-517
- Repression, dissociation vs, 749-750
- Rescue workers, PTSD in, 294-295
- Rescuer-victim paradigm, borderline  
personality disorder and, multiple-  
treater setting for, 843-845
- Responsibility, criminal, forensic  
psychiatry and, 611-632  
sense of, childhood trauma and, 725-726
- Restraint, physical, in late nineteenth and  
early twentieth centuries, 495-497
- Retaliation, fear of, in PTSD patients, 354
- Rituals, in acute trauma treatment, 386
- Role clarification, in borderline patient  
treatment, in multiple-treater setting,  
846
- Role conflict, caregiving partners of men  
with AIDS and, 45-46
- Rome, ancient. See *Classical antiquity*.
- Rorschach Inkblot test, in PTSD  
assessment, 338-339  
in children, 343
- Routines, maintenance of, HIV-associated  
dementia and, 190-191
- Safety, HIV-associated dementia and,  
196-198
- San Francisco General Hospital (SFGH),  
AIDS Health Project and, 211-215. See  
also *University of California at San  
Francisco (UCSF) AIDS Health Project  
(AHP)*.
- Schizophrenia, PTSD vs, 362-363
- Schizophreniform disorder, PTSD vs,  
362-363
- SCID (Structured Clinical Interview), 337
- Scientific standards, evolution of, forensic  
psychiatry and, 620-622
- Seduction, Freud's views on incest and,  
fact and fantasy in history of, 571-580
- Seizures, PTSD vs, 374-375
- Self, disorders of, borderline personality  
organization and, 811-825
- Self-attack. See also *Self-injury*.  
shame and, 797
- Self-image, identity disturbances and, in  
borderline personality disorder vs  
multiple personality disorder, 757-759
- Self-injury. See also *Self-attack*.  
repeated, in multiple personality disor-  
der vs borderline personality disor-  
der, 761-762
- Self-recognition, in psychotherapy for  
borderline psychopathology, 833-834
- Self-report measures, in PTSD assessment,  
in adults, 331-337
- Self-soothing, stability and, in borderline  
personality disorder vs multiple  
personality disorder, 751-752
- Sensitization, stress sensitivity and, 257
- Sensory inputs, in psychotherapy, for  
borderline psychopathology, 834-835
- Sentencing recommendations, forensic  
psychiatry and, 629
- Serotonergic functioning, altered, in  
PTSD, 411-42
- Setting. See *Environment*.
- Seventeenth century, psychiatry in,  
457-458
- Sexual abuse. See *Incest; Trauma*.
- Sexual harassment, forensic psychiatry  
and, 631
- Sexual risk behavior, patterns of, as  
related to substance abuse, 77-85
- SFGH. See *San Francisco General Hospital*.
- Shame, attack of other and, 797, 798-799  
attack of self and, 797  
avoidance and, 797-798  
in "borderline" personality, compassion  
and, 785-809  
compass of, 795-799  
defined, 793-796  
withdrawal and, 796-797
- Shock therapy. See *Electroconvulsive  
therapy*.
- Simple partial seizures, PTSD vs, 374-375
- Simple phobia, PTSD vs, 365

- Single photon emission tomography (SPECT), in HIV-1-associated cognitive/motor complex, 95
- Skepticism, uniform, forensic psychiatry and, 619
- Sleep disorders, primary, PTSD vs, 369-370  
PTSD and, 359, 412
- Sleep terror disorder, PTSD vs, 370
- Social learning model, of recreational substance use and sexual risk behavior patterns, 84
- Social setting model, of recreational substance use and sexual risk behavior patterns, 84
- Soma, trauma affecting, 594-595
- Somatic remedies, in early twentieth century, 493-511
- Somatization disorder, PTSD vs, 366-367
- Somatiform disorders, PTSD vs, 366-368
- Soothing, stability and, in multiple personality disorder vs borderline personality disorder, 751-752
- Specific phobia, PTSD vs, 365
- SPECT. See *Single photon emission tomography*.
- Splitting. See also *Dissociation*.  
in borderline personality disorder, 731-742  
multiple personality disorder vs, 747-749  
multiple-treater setting and, 840-843  
as consequence of severe childhood abuse, 731-742  
in multiple personality disorder, borderline personality disorder vs, 747-749
- Stability, soothing and, in multiple personality disorder vs borderline personality disorder, 751-752
- Startle response, exaggerated, 359
- Stimulation, monitoring of, HIV-associated dementia and, 191
- Stress, acute. See *Acute stress disorder*.  
coping and, in caregiving partners of men with AIDS, 35-52  
in patient with HIV disease, disease outcomes and, 176  
psychotherapy and, 151-152  
stress management interventions and, 171-172  
post-traumatic. See *Post-traumatic stress disorder (PTSD)*.  
sensitivity to, sensitization and, 257  
workplace-related, 293-295
- Stressor, legal establishment of, syndrome evidence in, 444-445  
nature of, trauma and, 589
- Stressor criterion, in PTSD diagnosis, 356
- Stroop Interference Task, in PTSD assessment, 339-340
- Structured Clinical Interview (SCID), 337
- Structured interviews, in PTSD assessment, in adults, 337-338
- Substance use disorders, HIV and, 21, 69-87  
alcohol, 75-77  
frequently used substances, 70  
infrequently used substances, 70-75  
prevention of, 85-87  
sexual risk behavior patterns and, 77-85  
patterns of, in gay and bisexual men, 70-77  
PTSD vs, 360, 362  
San Francisco General Hospital AIDS and Substance Abuse Program and, 213
- Suicide attempts, in multiple personality disorder, borderline personality disorder vs, 761-762
- Superintendents, neurologists and, psychiatric consultation in America and, 667-672
- Support, psychological, in acute trauma treatment, 387
- Survival. See also specific type of trauma.  
neurobiology of, 312-313
- Switzerland, psychoanalysis in, 637-647  
early reception of, 643-646  
later reception of, 646
- Symptom accumulation, with development, 316
- Symptom formation, post-traumatic response in children and adolescents and, 314-315
- Symptom overlap, dissociation and, in borderline personality disorder, 756-757
- Technical knowledge, psychiatric consultation and, 678-679
- Terror, sleep, PTSD vs, 370
- Testimony, limitations on, 617-618
- Therapists. See also *Mental health providers*.  
volunteer, AIDS Health Project, 219-220
- Therapy. See also *Psychotherapy*; specific disorder.  
punishment vs, somatic remedies in early twentieth century and, 493-511
- Tort litigation, PTSD and, 439-443
- Torture victims, PTSD in, 279-286  
background and context of, 279-281  
treatment of, 283-284
- Total protein, CSF, in HIV-1-associated cognitive/motor complex, 104
- Transference, borderline psychopathology and, 835



Transference (*Continued*)

- as false connection, 561-564
- identity and, childhood trauma and, 726
- intellectual history of, 559-568
- perceptual illusion and, 564-567
- Transitional theory of incest and seduction (Freud), 574
- Trauma, acute, treatment of, 385-390
  - in borderline personality disorder, 715-728
    - aggression and hatred and, 701-713
    - multiple personality disorder vs, 754-756
    - rescuer-victim paradigm and, 843-845
    - childhood, and borderline personality disorder, 720-727
    - splitting as a consequence of, 731-742
    - developmental impact of, 593-594, 721-722
    - disorders related to, integration of dissociative disorders and, 595
    - effects on soma and psyche, 594-595
    - families and, 430-431
    - Ferenczi and, 588
    - fixation on, developmental arrest and, 721-722
    - dissociation and, 590-591
  - Freud and, 586-588
    - theory of incest and seduction of, 574
    - history of, in psychiatry, 583-597
  - Kardiner and, 588-591
  - memory and, Pierre Janet and, 584-586
  - in multiple personality disorder, borderline personality disorder vs, 754-756
  - stress following. See *Post-traumatic stress disorder (PTSD)*.
- Treatment effects, psychosocial factors in HIV progression and, 63
- Treatment fragmentation, minimization of, in borderline patient treatment in multiple-treater setting, 847-848
- Treatment goals, clarification of, in borderline patient treatment in multiple-treater setting, 847
- Trust, childhood trauma and, borderline personality disorder and, 723
- Twentieth century. See also specific topics.
  - early, somatic remedies in, 493-511
  - history of psychiatry in, 464-465, 467-468
  - United States, 689-690
  - medical hypnosis in, 604-608
  - period between World Wars. See *World Wars, period between*.
  - psychiatric classification in, 519-520. See also *Psychiatric classification*.
  - psychotherapies in, catharsis and, 481-487
  - trauma in, during last fifteen years, 593-595
  - Übertragung, and the transfer of energy, 559-560
  - United States, history of psychiatry in, 683-692
    - American Psychiatric Association and, 690-692
    - care of chronically mentally ill and, 541-556
    - consultation and, 667-679
    - modern changes in, 689-690
    - reforms in (nineteenth century), 684-689
    - roots of change in (eighteenth century), 683-684
  - University of California at San Francisco (UCSF) AIDS Health Project (AHP), 205-225
    - community services of, 215-220
    - hospital services unit of, 211-215
    - initial development of, 209-211
    - organization philosophy of, 208-209
    - professional services of, 220-224
  - University of California at San Francisco (UCSF) Coping Project, study of caregiving partners of men with AIDS, 39-49
- Validation, childhood trauma and, borderline personality disorder and, 725
- Veterans. See *Military veterans*.
- Vienna, psychoanalysis in (1922-1938), 652-655
- Vietnam veterans. See also *Military veterans*.
  - PTSD in, prevalence of, 266-267
- Violence. See also *Aggression*.
  - victims of, PTSD in, 289-297. See also *Post-traumatic stress disorder (PTSD); Trauma*.
- Viral encephalitis, background of, 5-6
- Viral infections, opportunistic, in AIDS patients, 7-9
- Visual inputs, in psychotherapy, for borderline psychopathology, 834-835
- Volunteer therapist program, AIDS Health Project, 219-220
- Wandering, HIV-associated dementia and, 197
- War. See *Military veterans; World Wars*.
  - trauma and, 592-593
- Wet packs. See *Hydrotherapy*.
- White-collar crime, forensic psychiatry and, 630

- Wills, competence and, forensic psychiatry and, 629
- Withdrawal, shame and, 796-797
- Words, action and, dynamic psychiatry and, 588
- Workers' compensation, forensic psychiatry and, 630
- Workplace, stress related to, 293-295
- World War II veterans. See also *Military veterans*.  
PTSD in, prevalence of, 267
- World Wars, period between. See also *Twentieth century*.  
psychoanalysis in Europe during, 649-664
- trauma in, 588-591